



FOOD

# M205

## UPRIGHT BOTTLE COOLER

Experience the Low EC technology that minimizes energy consumption while ensuring optimal cooling. The easy clean plastic inner lining and internal fan promise effortless maintenance and consistent temperature distribution.



STANDARD TECHNICAL SPECIFICATIONS		VALUE
Volume, Gross / Net (l)		472 / 451
Dimensions (External) (W x D x H) (mm) (Without Handle)		595 x 655 x 2065
Dimensions (Internal) (W x D x H) (mm)		505 x 499 x 1823
Dimensions (External with Package) (W x D x H) (mm)		615 x 675 x 2215
Can Loading Capacity (Std / Max (330 ml))		406 / 476
Facing (330 ml St. Can)		7
Shelf Quantity		5
Refrigerant Type		R600a
Refrigerant Quantity (gr)		-
Climate Class (EN23953, EN16902)		4/CC2K4 (32°C/65% Rh)
Ambient Temperature Range (°C)		+16 / +35
Temperature Range (°C)		+1 / +9
Voltage / Frequency (V / Hz)		220 ~ 240 / 50
Noise Level (dBA)		46-48
Loading (20' DC Container) (units)		27
Loading (40' HC Container) (units)		57
Loading (Truck, 13,6 m) (units) (Built-in / with External Handle)		80 / 75
Weight Net / Gross (kg)		-

  

HIGHLIGHTS – STANDARD ELECTRICAL SYSTEM SPECIFICATIONS		VALUE
Energy Consumption (kWh / 24h)		1,77
Annual Energy Consumption (kWh/Year)		646
Energy Efficiency Index (EEI)		29,3
Energy Efficiency Class		C
EN Regulation		EN16902_2016
Power Cable Length & Thickness (mm / mm <sup>2</sup> ) (With Plug)		2200 / 3x1
Canopy Light		-
Inner Body Lighting (Top or Side)		LED on Top
Light Switch		St.
Fan Switch		St.

  

STANDARD COOLING SYSTEM SPECIFICATIONS		VALUE
Compressor Brand		Cubigel
Compressor Power		1/3 HP
Thermostat Type		Mechanical



FOOD

## M205 UPRIGHT BOTTLE COOLER

Experience the Low EC technology that minimizes energy consumption while ensuring optimal cooling. The easy clean plastic inner lining and internal fan promise effortless maintenance and consistent temperature distribution.

STANDARD DOOR SPECIFICATIONS		VALUE
Door Frame Type		Plastic Frame
Door Frame Color		Black
Door Glass Type		Double Glass / Tempered
Door Changeable Direction		ONLY Without lock, door lighting and spring hinge

  

STANDARD BODY SPECIFICATIONS		VALUE
Inner Body Type		White painted on galvanized sheet 0,40 mm
Outer Body Type		White painted on galvanized sheet 0,40 mm
Foot / Roller (pcs)		2 / 2
Packing Type		Carton Packing + Wooden Pallet
Sticker Area (Canopy) (W x H) (mm)		-
Sticker Area (Sides) (W x H) (mm)		525 x 1821
Standard Certificates		CE , CB , EMC